



Parc 2000
244, rue Claude François
F-34080 Montpellier

Tél: 33 (0)4 67 16 47 63

Fax: 33 (0)4 67 03 21 49

Email: contact@biophyderm.net

site:www.biophyderm.net

Expert
Experts

en évaluations
in dermocosmetic
dermocosmétiques
assessments

MAQPRO
Rue de Stokholm
ZA VIA EUROPA
F 34350 VENDRES

ANALYSIS CERTIFICATE

I, the undersigned, Lise AGOPIAN-SIMONEAU, a medical doctor, BIOPHYDERM's medical and scientific director, certifies having done the study to assess the acute tolerance **by means of a test under dermatological control** of the following product :

LIPBALM

Form.N° dvt:13021/1 - Batch 13058, tested undiluted under N° 2050

This study is reported on **REPORT 763/0313-2-2050** and in the conditions of the protocol of the test retained between promotor and investigator, the results are the following :

GOOD ALLERGOLOGIC TOLERANCE

NO IRRITATING POTENTIAL

PCI - Stripped skin	0,23
PCI - Intact skin	0,20

The product **LIPBALM - Form.N° dvt:13021/1 - Batch 13058, MAQPRO, tested under N° 2050**, is, under the normal in-use conditions :

SAFE FOR USE ON HUMAN SKIN

"NOT IRRITATING"

Original duplicate certificate,
established at Montpellier, 19th March 2013

Lise AGOPIAN-SIMONEAU M.D.
Dermatologist - Scientific and Medical Director
Chairman and Managing Director

BIOPHYDERM s.a
PARC 2000
244, rue Claude François
F 34080 MONTPELLIER
Tél: 33(0)4 67 16 47 63 / Fax: 33(0)4 67 03 21 49
Email: contact@biophyderm.net

