	SAFETY DATA SHEET according to 1907/2006 CE		Page 1 sur 21
	NETTOYANT PINCEAUX		Version : 5
	Review date: 23/10/2025	Printing date : 23/10/2025	

1. Identification of the substance/mixture and of the company/undertaking.

1.1 Product identifier

Product form: Substance
 Trade name: Nettoyant pinceaux
 Hazardous ingredients: 2.2.4-trimethylpentane
 HS code: 27101225

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture: Cosmetics: Make-up remover made to clean the paintbrushes and keep them longer.

1.3 Details of the supplier of the safety data sheet

Company: Maqpro
 2 ter rue Alasseur
 75015 Paris
 Phone: 01 42 25 10 11
 Mail : usine@maqpro-usine.fr

1.4 Emergency telephone number

France : ORFILA : +33 1 45 42 59 59

2. Hazards identification.

2.1 Classification of the substance or mixture


Flammable liquids, Category 2 H225: Highly flammable liquid and vapour.
 Skin irritation, Category 2 H315: Causes skin irritation.
 Specific target organ toxicity - single exposure, Category 3, Central nervous system H336: May cause drowsiness or dizziness.
 Aspiration hazard, Category 1 H304: May be fatal if swallowed and enters air-ways.
 Short-term (acute) aquatic hazard, Category 1 H400: Very toxic to aquatic life.
 Long-term (chronic) aquatic hazard, Category 1 H410: Very toxic to aquatic life with long lasting effects.

Classification according to Regulation (EC) No 1272/2008. (cf. 16. Other information)

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008.

Hazard pictograms:

	SAFETY DATA SHEET according to 1907/2006 CE		Page 2 sur 21
	NETTOYANT PINCEAUX		Version : 5
	Review date: 23/10/2025	Printing date : 23/10/2025	



Signal word: **Danger**

Hazard-determining

Hazard statements: H225 - Highly flammable liquid and vapour
 H315 - Causes skin irritation
 H304 - May be fatal if swallowed and enters airways.
 H336 - May cause drowsiness or dizziness
 H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements:

Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P261 Avoid breathing mist or vapours.

P264 Wash skin thoroughly after handling.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

P391 Collect spillage


2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

3. Composition/information on ingredients

3.1 Substances

Classification according to Regulation (EC) No 1272/2008. (cf. 16. Other information)

	SAFETY DATA SHEET according to 1907/2006 CE		Page 3 sur 21
			Version : 5
	NETTOYANT PINCEAUX		
Review date: 23/10/2025		Printing date : 23/10/2025	

International Chemical Name	CAS	ENEICS	%	Hazard Class and Category Code(s)
2.2.4-trimethylpentane	540-84-1	208-759-1	100	Flam. Liq. 2; H225 Skin Irrit. 2; H315 STOT SE 3; H336; Central nervous system Asp. Tox. 1; H304 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor Aquatic Acute: 1 M-Factor Aquatic Chronic: 1


3.2 Mixtures

Not applicable. See section 3.1.

4. First aid measures

4.1 Description of first aid measures

General advice :	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Symptoms of poisoning may appear several hours later. Do not leave the victim unattended.
Protection of first-aiders :	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus.
If inhaled :	Move the victim to fresh air. Keep patient warm and at rest. If breathing is labored, administer oxygen. If unconscious, place in recovery position and get medical attention immediately. If breathing is irregular or stopped, administer artificial respiration.
In case of skin contact :	Take off contaminated clothing and shoes immediately. Wash off immediately with soap and plenty of water. If skin irritation persists, call a physician.
In case of eye contact :	Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. Remove contact lenses. Protect unharmed eye.

	SAFETY DATA SHEET according to 1907/2006 CE		Page 4 sur 21
			Version : 5
	NETTOYANT PINCEAUX		
Review date: 23/10/2025		Printing date : 23/10/2025	

Get medical attention if symptoms appear.

If swallowed :

Aspiration hazard if swallowed - can enter lungs and cause damage.

Do NOT induce vomiting.

Never give anything by mouth to an unconscious person.

Rinse mouth with water.

Keep patient warm and at rest.

If vomiting occurs, the head should be kept low so that vomit does not enter the lungs.

Call a physician.

4.2 Most important symptoms and effects, both acute and delayed

Risks :

May be fatal if swallowed and enters airways.

Causes skin irritation.

May cause drowsiness or dizziness.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment :

Treat symptomatically.

5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media:

Water spray jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting :

Do not allow run-off from fire fighting to enter drains or water courses.

Highly flammable liquid and vapour.

In a fire or if heated, a pressure increase will occur and the container may burst.

Runoff to sewer may create fire or explosion hazard.

Hazardous combustion prod-ucts :


Carbon dioxide (CO₂)

Carbon monoxide

5.3 Advice for firefighters

Special protective equipment for firefighters :

Wear self-contained breathing apparatus for firefighting if nec-essary.

	SAFETY DATA SHEET according to 1907/2006 CE		Page 5 sur 21
	NETTOYANT PINCEAUX		Version : 5
	Review date: 23/10/2025	Printing date : 23/10/2025	

Further information :

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

For safety reasons in case of fire, cans should be stored separately in closed containments.

Use a water spray to cool fully closed containers.

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.

No action shall be taken involving any personal risk or without suitable training.

Move containers from fire if this can be done without risk.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions :

Use personal protective equipment.

Ensure adequate ventilation.

Remove all sources of ignition.

Evacuate personnel to safe areas.

Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Do not touch or walk through spilt material.

In case of inadequate ventilation wear respiratory protection.

6.2 Environmental precautions

Environmental precautions :

Prevent further leakage or spillage if safe to do so.


If the product contaminates rivers and lakes or drains inform respective authorities.

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up :

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and

	SAFETY DATA SHEET according to 1907/2006 CE		Page 6 sur 21
	NETTOYANT PINCEAUX		Version : 5
	Review date: 23/10/2025	Printing date : 23/10/2025	

place in container for disposal according to local / national regulations (see section 13).
 Stop leak if safe to do so.
 Use spark-proof tools and explosion-proof equipment.
 Do not allow into the sewerage system, surface waters or groundwater or into the soil.
 Contaminated absorbent material may pose the same hazard as the spilled product.

6.4 Reference to other sections

For personal protection see section 8., For disposal considerations see section 13.

7. Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).


7.1 Precautions for safe handling

Advice on safe handling :

Avoid formation of aerosol.
 Do not breathe vapours/dust.
 Avoid exposure - obtain special instructions before use.
 Avoid contact with skin and eyes.
 For personal protection see section 8.
 Smoking, eating and drinking should be prohibited in the application area.
 Take precautionary measures against static discharges.
 Provide sufficient air exchange and/or exhaust in work rooms.
 Container may be opened only under exhaust ventilation hood.
 Open drum carefully as content may be under pressure.
 Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion :

Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Use only

	SAFETY DATA SHEET according to 1907/2006 CE		Page 7 sur 21
	NETTOYANT PINCEAUX		Version : 5
	Review date: 23/10/2025	Printing date : 23/10/2025	

explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.

Hygiene measures :

When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities.

Requirements for storage areas and containers :

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be care-fully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Further information on stor age stability :

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) :

Cosmetics, personal care products
Solvent


8. Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Annex should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Substance name	End Use	Exposure routes	Potential health ef-fects	Value
2,2,4-trimethylpentane	Workers	Inhalation	Systemic effects, Long-term exposure	2035 mg/m3
	Workers	Dermal	Systemic effects, Long-term exposure	773 mg/kg bw/day
	Consumers	Inhalation	Long-term exposure, Systemic effects	608 mg/m3
	Consumers	Dermal	Systemic effects, Long-term exposure	699 mg/kg bw/day
	Consumers	Oral	Systemic effects, Long-term exposure	699 mg/kg bw/day

	SAFETY DATA SHEET according to 1907/2006 CE		Page 8 sur 21
	NETTOYANT PINCEAUX		Version : 5
	Review date: 23/10/2025	Printing date : 23/10/2025	

8.2 Exposure controls

Personal protective equipment

Eye/face protection :

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing problems.

Hand protection

Material :

Nitrile rubber - NBR

Break through time :

>= 8 h

Glove thickness :

>= 0.35 mm

Wearing time :

< 60 min

Material :

Fluorinated rubber - FKM

Break through time :

>= 8 h

Glove thickness :

>= 0.4 mm

Wearing time :

< 60 min

Remarks :

The suitability for a specific workplace should be discussed with the producers of the protective gloves. After contamination with product change the gloves immediately and dispose of them according to relevant national and local regulations

Skin and body protection :

Flame retardant antistatic protective clothing. Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection :

In the case of vapour formation use a respirator with an approved filter.

Wear breathing apparatus with separate air supply (compressed air respirator, tube apparatus) at higher concentrations.


Filter type :

Organic vapour type (A)

Protective measures :

For further information, please consult the following hazardous substance information system: "GESTIS Substance Data-base" (German Social Accident Insurance).

9. Physical and chemical properties

	SAFETY DATA SHEET according to 1907/2006 CE		Page 9 sur 21
	NETTOYANT PINCEAUX		Version : 5
	Review date: 23/10/2025	Printing date : 23/10/2025	


9.1 Information on basic physical and chemical properties.

Appearance :	liquid
Physical state :	liquid
Colour :	colourless
Odour :	slight, Paraffin
Odour Threshold :	No data available
Melting point/range :	-103 °C
Boiling point/boiling range :	98 - 102 °C (1,013 hPa)
Upper explosion limit / Upper flammability limit :	Upper explosion limit 5.5 %(V)
Lower explosion limit / Lower flammability limit :	Lower explosion limit 0.7 %(V)
Flash point :	-14 °C Method: DIN 51755, closed cup
Ignition temperature :	420 °C
Decomposition temperature :	No data available
pH :	No data available
Viscosity	
Viscosity, kinematic :	0.7 mm ² /s (20 °C) 0.6 mm ² /s (40 °C)
Solubility(ies)	
Water solubility :	insoluble
Solubility in other solvents :	No data available
Partition coefficient: n-octanol/water :	log Pow: 4.5 Test results on an analogous product
Vapour pressure :	53 hPa (20 °C)
Relative density :	No data available
Density :	0.69 kg/l (20 °C)
Relative vapour density :	3.9

9.2 Other information

Explosives :	No data available
Oxidizing properties :	No data available
Flammable solids	
Burning number :	No data available
Self-ignition :	420 °C Auto-ignition temperature
Evaporation rate :	No data available
Miscibility with water :	No data available
Molecular weight :	No data available

10. Stability and reactivity

	SAFETY DATA SHEET according to 1907/2006 CE		Page 10 sur 21
	NETTOYANT PINCEAUX		Version : 5
	Review date: 23/10/2025	Printing date : 23/10/2025	

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions :

Under normal conditions of storage and use, hazardous reactions will not occur. Stable under recommended storage conditions. No hazards to be specially mentioned.
Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid :

Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid :

oxidising substances

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Components:

2,2,4-trimethylpentane:

Acute oral toxicity :

LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity :

LC50 (Rat, male and female): > 33.5 mg/l

Exposure time: 4 h

Test atmosphere: vapour

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhalation toxicity

Remarks: Dosage caused no mortality

Acute dermal toxicity :


LD50 (Rabbit, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Skin corrosion/irritation

Causes skin irritation.

	SAFETY DATA SHEET according to 1907/2006 CE		Page 11 sur 21
	NETTOYANT PINCEAUX		Version : 5
	Review date: 23/10/2025	Printing date : 23/10/2025	

Components:

2,2,4-trimethylpentane:

Species :

Rabbit

Method :

OECD Test Guideline 404

Result :

Irritating to skin.

GLP :

yes

Result :

Repeated exposure may cause skin dryness or cracking.

Serious eye damage/eye irritation

Not classified based on available information.

Components:

2,2,4-trimethylpentane:

Species :

Rabbit

Method :

OECD Test Guideline 405

Result :

No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

2,2,4-trimethylpentane:

Exposure routes :

Dermal

Species :

Guinea pig

Method :

OECD Test Guideline 406

Result :

Not a skin sensitizer.

Remarks :

Test results on an analogous product

Germ cell mutagenicity

Not classified based on available information.

Components:

2,2,4-trimethylpentane:

Genotoxicity in vitro :

Test Type: Ames test

Test system: Salmonella typhimurium


Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: human lymphoblastoid cells

	SAFETY DATA SHEET according to 1907/2006 CE		Page 12 sur 21
	NETTOYANT PINCEAUX		Version : 5
	Review date: 23/10/2025	Printing date : 23/10/2025	

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo :

Test Type: unscheduled DNA synthesis assay

Species: Rat (male)

Application Route: oral (gavage)

Method: OECD Test Guideline 486

Result: negative

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Components:

2,2,4-trimethylpentane:

Effects on fertility :

Test Type: Two-generation study

Species: Rat, male and female

Application Route: inhalation (vapour)

Dose: 0, 1720, 6880, 24080 mg/m³

Frequency of Treatment: 6 hours/day

General Toxicity - Parent: NOEC: 1,720 mg/m³

General Toxicity F1: NOAEC: 1,720 mg/m³

Fertility: NOAEC Parent: 24.080 mg/m³

Early Embryonic Development: NOAEC: 6,880 mg/m³

Method: OECD Test Guideline 416

Result: Animal testing did not show any effects on fertility.

GLP: yes

Remarks: Information given is based on data obtained from similar substances.

Effects on foetal develop-ment :

Test Type: Embryo-foetal development

Species: Rat, female

Application Route: inhalation (vapour)

Dose: 0, 500, 2000, 7000 parts per million

Frequency of Treatment: 6 hours/day


General Toxicity Maternal: NOAEC: 2,000 ppm

Teratogenicity: NOAEC Mating/Fertility: 7,000 ppm

Developmental Toxicity: NOAEC: 7,000 ppm

Embryo-foetal toxicity: NOAEC: 7,000 ppm

Method: OECD Test Guideline 414

	SAFETY DATA SHEET according to 1907/2006 CE		Page 13 sur 21
	NETTOYANT PINCEAUX		Version : 5
	Review date: 23/10/2025	Printing date : 23/10/2025	

Result: Did not show teratogenic effects in animal experiments.

GLP: yes

Remarks: Test results on an analogous product

Test Type: Embryo-foetal development

Species: Rabbit, female

Application Route: inhalation (vapour)

Dose: 0, 500, 2000, 7000 parts per million

Frequency of Treatment: 6 hours/day

General Toxicity Maternal: NOAEC: 7,000 ppm

Teratogenicity: NOAEC Mating/Fertility: 7,000 ppm

Developmental Toxicity: NOAEC: 7,000 ppm

Embryo-foetal toxicity: NOAEC: 7,000 ppm

Method: OECD Test Guideline 414

Result: Did not show teratogenic effects in animal experiments.

GLP: yes

Remarks: Test results on an analogous product

STOT - single exposure

May cause drowsiness or dizziness.

Components:

2,2,4-trimethylpentane:

Target Organs :

Assessment :

Narcotic effects

May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

May be fatal if swallowed and enters airways.

Components:

2,2,4-trimethylpentane:

May be fatal if swallowed and enters airways.


Further information

Product:

Remarks :

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Concentrations substantially above the TLV value may cause narcotic effects. Solvents may degrease the skin.

	SAFETY DATA SHEET according to 1907/2006 CE		Page 14 sur 21
			Version : 5
	NETTOYANT PINCEAUX		
Review date: 23/10/2025		Printing date : 23/10/2025	

12. Ecological information

12.1 Toxicity

Components:

2,2,4-trimethylpentane:

Toxicity to fish :

LC50 (Oncorhynchus mykiss (rainbow trout)): 0.11 mg/l

Exposure time: 96 h

Test Type: semi-static test

Method: OECD Test Guideline 203

GLP: yes

Remarks: Fresh water Information given is based on data obtained from similar sub-stances.

Toxicity to daphnia and other aquatic invertebrates :

EC50 (Daphnia magna (Water flea)): 0.4 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic plants :

NOEC (Raphidocelis subcapitata (freshwater green alga)): 3 mg/l

End point: Growth inhibition

Exposure time: 72 h

Analytical monitoring: no

Method: OECD Test Guideline 201

GLP: yes

Remarks: Information given is based on data obtained from similar substances. Fresh water

EC50 (Raphidocelis subcapitata (freshwater green alga)): 3 mg/l

End point: Growth inhibition

Exposure time: 72 h

Analytical monitoring: no

Method: OECD Test Guideline 201

GLP: yes

Remarks: Information given is based on data obtained from similar substances. Fresh water

M-Factor (Acute aquatic toxicity) :

1

M-Factor (Chronic aquatic toxicity) :


1

12.2 Persistence and degradability

Product:

Biodegradability :

Result: Not readily biodegradable.

	SAFETY DATA SHEET according to 1907/2006 CE		Page 15 sur 21
	NETTOYANT PINCEAUX		Version : 5
	Review date: 23/10/2025	Printing date : 23/10/2025	

Components:

2,2,4-trimethylpentane:

Biodegradability :

Test Type: aerobic

Inoculum: activated sludge, domestic (adaptation not speci-fied)

Result: Readily biodegradable.

Biodegradation: 98 %

Exposure time: 28 d

Method: OECD Test Guideline 301F

GLP: yes

Remarks: Information given is based on data obtained from similar substances.

12.3 Bioaccumulative potential

Components:

2,2,4-trimethylpentane:

Partition coefficient: n-octanol/water :

log Pow: 4.5

Remarks: Test results on an analogous product

12.4 Mobility in soil

No data available

12.5 Results of PBT et vPvB assessment

Product:

Assessment :

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:


Endocrine disrupting poten-tial :

The substance/mixture does not contain components consid-ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Additional ecological infor-mation :

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

13. Disposal consideration

	SAFETY DATA SHEET according to 1907/2006 CE		Page 16 sur 21
	NETTOYANT PINCEAUX		Version : 5
	Review date: 23/10/2025	Printing date : 23/10/2025	

The information in this section contains generic advice and guidance. The list of Identified Uses in Annex should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product :

The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging :

Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

14. Transport information

14.1 UN number

ADN :	UN 1262
ADR :	UN 1262
RID :	UN 1262
IMDG :	UN 1262
IATA :	UN 1262

14.2 UN proper shipping name

ADN :	OCTANES
ADR :	OCTANES
RID :	OCTANES
IMDG :	OCTANES
IATA :	Octanes

14.3 Transport hazard class(es)

ADN :	3
ADR :	3
RID :	3
IMDG :	3
IATA :	3

14.4 Packing group

ADN

Packing group :	II
Classification Code :	F1

SAFETY DATA SHEET

according to 1907/2006 CE

Page 17 sur 21

Version : 5

NETTOYANT PINCEAUX

Review date: 23/10/2025

Printing date : 23/10/2025

Hazard Identification Number :

33

Labels :

3



ADR

Packing group :

II

Classification Code :

F1

Hazard Identification Number :

33

Labels :

3



Tunnel restriction code :

(D/E)

RID

Packing group :

II

Classification Code :

F1

Hazard Identification Number :

33

Labels :

3



IMGD

Packing group :

II

Labels :

3



EmS Code :

F-E, S-E

IATA (Cargo)

Packing instruction (cargo aircraft) :

364 : 60.00 L

Packing group :

II

Labels :

3



IATA (Passenger)

Packing instruction (passenger aircraft) :

353 : 5.00 L


Packing group :

II

Labels :

3



	SAFETY DATA SHEET according to 1907/2006 CE		Page 18 sur 21
	NETTOYANT PINCEAUX		Version : 5
	Review date: 23/10/2025	Printing date : 23/10/2025	

14.5 Environmental hazards

ADN

Environmentally hazardous :

yes



ADR

Environmentally hazardous :

yes



RID

Environmentally hazardous :

yes



IMDG

Environmentally hazardous :

yes



IATA (Passenger)

Environmentally hazardous :

yes



IATA (Cargo)

Environmentally hazardous :

yes



14.6 Special precautions for user

Hazard and Handling Notes :

Highly flammable. Environmentally hazardous substance. Narcotic vapour. Keep separated from foodstuffs.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.


15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) :

Conditions of restriction for the following entries should be considered:
Number on list 40, 3

	SAFETY DATA SHEET according to 1907/2006 CE		Page 19 sur 21
	NETTOYANT PINCEAUX		Version : 5
	Review date: 23/10/2025	Printing date : 23/10/2025	

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation : Not applicable

The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain) : Not applicable

International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors : Neither banned nor restricted

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Council Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors : Neither banned nor restricted

UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable

GB Export and import of hazardous chemicals – Prior Informed Consent (PIC) Regulation: Not applicable

Control of Major Accident Hazards Regulations 2015 (COMAH) Quantity

		Quantity 1	Quantity 2
E1	ENVIRONMENTAL HAZARDS	100 t	200 t
P5c	FLAMMABLE LIQUIDS	5,000 t	50,000 t

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

15.2 Chemical safety assessment


A Chemical Safety Assessment has been carried out for this substance.

16. Other information

17.

Full text of H-Statements

H225 :	Highly flammable liquid and vapour.
H304 :	May be fatal if swallowed and enters airways.
H315 :	Causes skin irritation.


	SAFETY DATA SHEET according to 1907/2006 CE		Page 20 sur 21
	NETTOYANT PINCEAUX		Version : 5
	Review date: 23/10/2025	Printing date : 23/10/2025	

H336 :	May cause drowsiness or dizziness.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Acute :	Short-term (acute) aquatic hazard
Aquatic Chronic :	Long-term (chronic) aquatic hazard
Asp. Tox. :	Aspiration hazard
Flam. Liq. :	Flammable liquids
Skin Irrit. :	Skin irritation
STOT SE :	Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Test-ing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regula-tion (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergen-cy Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration as-sociated with x% growth rate response; GHS – Globally Harmonized System; GLP - Good Labora-tory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships car-rying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO – Interna-tional Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test popula-tion; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - Interna-tional Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL – No Observed (Adverse) Ef-fect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic sub-stance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quanti-tative) Structure Activity Relationship; REACH – Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Re-striction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

	SAFETY DATA SHEET according to 1907/2006 CE		Page 21 sur 21
	NETTOYANT PINCEAUX		Version : 5
	Review date: 23/10/2025	Printing date : 23/10/2025	

Further information

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is de-signed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any pro-cess, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed. Relevant changes from the previous version are marked on the left side of the Safety Data Sheet with a black double bar in appropriate places.
