

according to 1907/2006 CE

Version : 3

COLLE POSTICHES

Review date: 20/02/2018

Printing date : 23/02/2018

1. Identification of the substance/mixture and of the company/undertaking.

1.1 Product identifier

Product form : Mixture Trade name : COLLE POSTICHES

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : Intended for professional public. Use of the substance/mixture : Cosmetics : Product intended to fix hairpiece.

1.3 Details of the supplier of the safety data sheet

Company :	Maqpro
	2 ter rue Alasseur
	75015 Paris
Phone :	01 42 25 10 11
Mail :	maqpro.usine@orange.fr

1.4 Emergency telephone number

France : ORFILA : +33 1 45 42 59 59

2. Hazards identification.

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008. (cf. 16. Other information)

Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008.



according to 1907/2006 CE

Version: 3

COLLE POSTICHES

Review date: 20/02/2018

Printing date : 23/02/2018

Hazard pictograms :



Signal word : Danger

Hazard-determining components of labelling :

Isopropyl Alcohol, Alcohol Denat.

Hazard statements :

H225 : Highly flammable liquid and vapour

- H319 : Causes serious eye irritation
- H336 : May cause drowsiness or dizziness
 - Precautionary statements :

P101 : If medical advice is needed, have product container or label at hand

- P102 : Keep out of reach of children
- P103 : Read label before use

P210 : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 : Keep container tightly closed

P240 : Ground/bond container and receiving equipment

P261 : Avoid breathing dust/fume/gas/mist/vapours/spray

P280 : Wear protective gloves/protective clothing/eye protection/face protection

P305+P351+P338 : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P304+P340+P312 : IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/a doctor/.../ if you feel unwell

P403+P235 : Store in a well-ventilated place. Keep cool

2.3 Other hazards

No additional information available.

3. Composition/information on ingredients

3.1 Substances



according to 1907/2006 CE

Version : 3

COLLE POSTICHES

Review date: 20/02/2018

Printing date : 23/02/2018

Not applicable. See section 3.2.

3.2 Mixtures

Classification according to Regulation (EC) No 1272/2008. (cf. 16. Other information)

INCI	CAS	ENEICS	%	Hazard Class and Category Code(s)	Hazard Statement Code(s)
Isopropanol	67-63-0	200-661-7]25%-50%]	Flam. Liq. 2 * Eye Irrit. 2 * STOT SE 3	H225 H319 H336
Ethanol	64-17-5	200-578-6]25%-50%]	Flam. Liq. 2	H225

4. First aid measures

4.1 Description of first aid measures

First aid measures after inhalation :	Remove person to fresh air. Consult doctor in case of symptoms. If unconscious, place in recovery position and seek medical advice.
First aid measures after skin contact :	Wash with water and soap and rinse thoroughly. If skin
	irritation continues, consult a doctor.
First aid measures after eye contact :	Rinse cautiously with water for several minutes Remove contact lenses, if present and easy to do. Continue rinsing. Get immediately medical advice/attention.
First aid measures after ingestion :	Drink a lot of water. Do not induce vomiting. If symptoms
	persist : get medical advice/attention.

4.2 Most important symptoms and effects, both acute and delayed

Vapours may cause headache, dizziness, emesis.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information.



according to 1907/2006 CE

Version: 3

COLLE POSTICHES

Review date: 20/02/2018

Printing date : 23/02/2018

5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Alcohol resistant foam. Carbon dioxyde. Powerful jet of water.

5.2 Special hazards arising from the substance or mixture

Vapours could be invisible and could be heavier than air and may spread along floors. Vapours may form explosive mixtures with air. The flash back distance could be considerable.

5.3 Advice for firefighters

Do not attempt to take action without suitable protective equipment. Seft-contained breathing apparatus. Complete protective clothing including breath protection.

Other information : If possible, cool the tank/containers with cool water. Heat causes increase in pressure and risk of bursting.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Keep away from sources of ignition. Do not smoke. Adequate ventilation is necessary. Do not breathe vapour.

6.2 Environmental precautions

Do not allow product to reach sewage system or any water course.

6.3 Methods and material for containment and cleaning up

Absorb spilled liquid with sorbent material like clay or diatomaceous earth.

6.4 Reference to other sections

For further information refer to section 7, 8, 13.

7. Handling and storage



according to 1907/2006 CE

Version : 3

COLLE POSTICHES

Review date: 20/02/2018

Printing date : 23/02/2018

7.1 Precautions for safe handling

Handling :

Do not smoke, eat or drink.

Information about fire and explosion protection : Keep ignition sources away. Do not smoke. Sufficient ventilation required to control the formation of steam. Use an explosion-proof electrical equipment.

7.2 Conditions for safe storage, including any incompatibilities.

Store in a cool and well-ventilated area. Protect from sunlight. Keep away from sources of ignition. Do not use aluminum pack, polystyrene pack and rubber pack. Keep tightly closed. Do not store next to auto-flammables and oxidizing agent.

7.3 Specific end use(s)

No additional information available.

8. Exposure controls/personal protection

8.1 Control parameters

Ethanol (64-17-5)

- VME FRANCE : momentary value : 9500 mg/m³, 5000ppm
 - long -term value : 1900 mg/m³, 1000ppm
- DNEL : Professionnal exposure short time local effect DNEL/inhalation : 1900 mg/m³
 - Professionnal exposure long time systemic effect DNEL/cutaneous : 343 mg/kg/day
 - Professionnal exposure long time systemic effect DNEL/inhalation : 950 mg/m³
 - General public exposure short time local effect DNEL/inhalation : 950 mg/m³
 - General public exposure long time systemic effect DNEL/cutaneous : 206 mg/kg/day
 - General public exposure long time systemic effect DNEL/inhalation : 114 mg/m³
 - General public exposure long time systemic effect DNEL/oral : 87 mg/kg/day
- PNEC : freshwater : 0.96 mg/L
 - sea water : 0.79 mg/L
 - freshwater sediment : 3.6 mg/kg sediment dw
 - floor : 0.63 mg/kg floor dw
 - STP : 580 mg/L

Isopropanol (67-63-0)

DNEL: - Professionnal exposure – long time systemic effect – DNEL/cutaneous : 888 mg/kg/day - Professionnal exposure – long time systemic effect – DNEL/inhalation : 500 mg/m³



according to 1907/2006 CE

COLLE POSTICHES

Review date: 20/02/2018

Printing date : 23/02/2018

- General public exposure long time systemic effect DNEL/cutaneous : 319 mg/kg/day
- General public exposure long time systemic effect DNEL/inhalation : 89 mg/m³
- General public exposure long time systemic effect DNEL/oral : 26 mg/kg/day
- PNEC : freshwater : 140.9 mg/L
 - sea water : 140.9 mg/L
 - sediment : 552 mg/kg sediment dw
 - floor : 28 mg/kg floor dw
 - STP : 2251 mg/L
 - Intermittent release : 140.9 mg/L
 - Secondary poisoning : 160 mg/kg food

8.2 Exposure controls

Adequate ventilation is necessary.

- Personnal Protection Equipment : Safety glasses. Gloves. Gas mask with filter type A-P2.
- Hand protection : Wear chemical resistant gloves. (nitrile rubber, fluorinated rubber, butyl rubber)
- Eye protection : Wear safety glasses.
- Skin protection : Wear clothes adequate.
- Breath protection : In case of insufficient ventilation, wear suitable respiratory equipment.
- Other information : When using, do not eat, drink or smoke

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties.

Appearance :	Viscous liquid.
Odour :	Solvent.
Colour :	Light yellow.
pH-value :	No data available.
Melting point :	No data available.
Relative density :	No data available.
Relative vapour density at 20°C :	No data available.
Boiling point :	No data available.
Flash point :	13°C
Self-ignition temperature :	No data available.
Viscosity :	No data available.
Solubility :	Soluble in water.

9.2 Other information

No additional information available.



according to 1907/2006 CE

Page 7 sur 12

Version : 3

COLLE POSTICHES

Review date: 20/02/2018

Printing date : 23/02/2018

10. Stability and reactivity

10.1 Reactivity

Not specific reactivity.

10.2 Chemical stability

Stable under ordinary conditions of use and storage.

10.3 Possibility of hazardous reactions

May form peroxides if in contact with air.

10.4 Conditions to avoid Heat. Flash. Flame. Direct ray of sunshine.

10.5 Incompatible materials Strong oxidizers. Amine. Aldehyde. Alkanolamine. Alkalis. Strong acid.

10.6 Hazardous decomposition products

In case of fire : carbon oxide.

11. Toxicological information

11.1 Information on toxicological effects

Oral Acute toxicity :No data available.Primary irritant effect :No data available.Eye Irritation :No data available.Specific target organ systemic toxicity (single exposure) : No data available.Other toxicological information :No data available.

12. Ecological information

12.1 Toxicity No data available.

12.2 Persistence and degradability No data available.



according to 1907/2006 CE

Page 8 sur 12

Version: 3

COLLE POSTICHES

Review date: 20/02/2018

Printing date : 23/02/2018

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT et vPvB assessment No data available.

12.6 Other adverse effects No data available.

13. Disposal consideration

13.1 Waste treatment methods Product :	Dispose of contents in accordance with licensed collector's sorting instructions. Keep the product out of the sewage.
Recommandation about packaging :	Dispose of container in accordance with licensed collector's sorting instructions. Do not burn the barrels. Risk of explosion.

14. Transport information

In accordance with ADR/RID/IMDG/IATA/ADN :

UN number

1993

UN proper shipping name
(ADR) : FLAMMABLE LIQUID, N.O.S
(IMDG) : FLAMMABLE LIQUID, N.O.S
(IATA) : Flammable liquid, n.o.s
(ADN) : FLAMMABLE LIQUID, N.O.S
(RID) : FLAMMABLE LIQUID, N.O.S

Transport document description
(ADR) : UN 1993 FLAMMABLE LIQUID, N.O.S (), 3, II, (D/E)
(IMDG) : UN 1993 FLAMMABLE LIQUID, N.O.S (), 3, II
(IATA) : UN 1993 FLAMMABLE LIQUID, n.O.S (), 3, II
(ADN) : UN 1993 FLAMMABLE LIQUID, N.O.S (), 3, II



according to 1907/2006 CE

Version: 3

COLLE POSTICHES

Review date: 20/02/2018

Printing date : 23/02/2018

(RID) : UN 1993 FLAMMABLE LIQUID, N.O.S (), 3, II

• Transport hazard classes :

ADR, IMDG, IATA, ADN, RID : Transport hazard class : 3 ADR, IMDG, IATA, ADN, RID : Danger/Hazard labels : 3

Packaging Group

ADR IMDG IATA ADN RID : II

- Environmental hazard : None
- Special precautions for user :
- Overland transport

Classification code (ADR)	:	F1
Special provisions (ADR)	:	274, 601, 640D
Limited quantities (ADR)	:	11
Excepted quantities (ADR)	:	E2
Packing instructions (ADR)	:	P001, IBC02, R001
Mixed packing provisions (AD	R)	: MP19
Portable tank and bulk contai	ner inst	ructions (ADR) : T7
Portable tank and bulk cor	ntainer	special provisions (ADR):
TP1, TP8, TP28		
Tank code (ADR) : LGBF		
Vehicle for tank carriage :	FL	
Transport category (ADR) :	2	
Special provisions for carriage	e – oper	ation (ADR) : S2, S20
Hazard identification number	(Kemle	r No.) : 33
Orange plates : 33		

Tunnel restriction code (ADR) : D/E

- Transport by sea

Special provisions (IMDG) : 274 Limited quantities (IMDG) : 1L Excepted quantities (IMDG) : E2 Packing instructions (IMDG) : P001 IBC packing instructions (IMDG) : IBC02 Tank instructions (IMDG) : T7 Tank special provisions (IMDG) : TP1, TP8, TP28 EmS-No (Fire) : F-E EmS-No (Spillage) : S-E

1993



according to 1907/2006 CE

Version : 3

COLLE POSTICHES

Review date: 20/02/2018

Printing date : 23/02/2018

Stowage category (IMDG) : B

- Air transport	
	PCA Excepted quantities (IATA) : E2
	PCA Limited quantities (IATA) : Y341
	PCA limited quantity max net quantity (IATA) : 1L
	PCA packing instructions (IATA) : 353
	PCA max net quantity (IATA) : 5L
	CAO packing instructions (IATA) : 364
	CAO max net quantity (IATA) : 60L
	Special provisions (IATA) : A3
	ERG code (IATA) : 3H
- Inland waterway transport	
	Classification code (ADN) : F1
	Special provisions (ADN) : 274, 601, 640D
	Limited quantities (ADN) : 1L
	Excepted quantities (ADN) : E2
	Carriage permitted (ADN) : T
	Equipment required (ADN) : PP, EX, A
	Ventilation (ADN) : VE01
	Number of blue cones/lights (ADN) : 1
- Rail transport	
	Classification code (RID) : F1
	Special provisions (RID) : 274, 601, 640D
	Limited quantities (RID) : 1L
	Excepted quantities (RID) : E2
	Packing instructions (RID) : P001, IBC02, R001
	Mixed packing provisions (RID) : MP19
	Portable tank and bulk container instructions (RID) : T7
	Portable tank and bulk container special provisions (RID) :
	TP1, TP8, TP28
	Tank codes for RID tanks (RID) : LGBF
	Transport category (RID) : 2
	Code express (express parcels) (RID) : CE7
	Hazard identification number (RID) : 33

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture The product is classified, identified and labelled according to Regulation (EC) No 1272/2008 (CLP). Pictograms : GHS02 + GSH07



according to 1907/2006 CE

Version: 3

COLLE POSTICHES

Review date: 20/02/2018

Printing date : 23/02/2018

Signal word : danger

Hazard statements :

H225 : Highly flammable liquid and vapour

H319 : Causes serious eye irritation

H336 : May cause drowsiness or dizziness

Precautionary statements :

P101 : If medical advice is needed, have product container or label at hand

P102 : Keep out of reach of children

P103 : Read label before use

P210 : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 : Keep container tightly closed

P240 : Ground/bond container and receiving equipment

P261 : Avoid breathing dust/fume/gas/mist/vapours/spray

P280 : Wear protective gloves/protective clothing/eye protection/face protection

P305+P351+P338 : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P304+P340+P312 : IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/a doctor/.../ if you feel unwell

P403+P235 : Store in a well-ventilated place. Keep cool

15.2 Chemical safety assessment

No chemical safety assessment has been carried out.

16. Other information

Regulatory requirements relative to the distribution of this MSDS : In accordance with the regulatory requirements, all information in the MSDS must be transmitted by the MSDS recipient to the health authorities, to any party receiving the products and to any other person likely to be exposed to the products.

Asterisks (*) on life show modifications with regard to last chemical safety data sheet.

Full text of H- and EUH-statements :

Eye Irrrit. 2 : SERIOUS EYE DAMAGE/EYE IRRITATION, CATEGORY 2

according to 1907/2006 CE

Version : 3

COLLE POSTICHES

Review date: 20/02/2018

Printing date : 23/02/2018

Flam. Liq 2 : FLAMMABLE LIQUIDS CATEGORY 2

STOT SE 3 : SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE, CATEGORY 3-H336

H225 : Highly flammable liquid and vapour

H319 : Causes serious eye irritation

H336 : May cause drowsiness or dizziness

