

	SAFETY DATA SHEET according to 1907/2006 CE	Page 1 sur 11
	DISSOLVANT COLLE	
Review date: 21/02/2022	Printing date : 21/02/2022	

1. Identification of the substance/mixture and of the company/undertaking.

1.1 Product identifier

Product form : Mixture
 Trade name : DISSOLVANT COLLE
 * HS code : 29141100

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Intended for general public.
 Use of the substance/mixture: Cosmetics: Product intended to clean glue.

1.3 Details of the supplier of the safety data sheet

Company : Maqpro
 2 ter rue Alasseur
 75015 Paris
 Phone : 01 42 25 10 11
 Mail : maqpro.usine@orange.fr

1.4 Emergency telephone number

France : ORFILA : +33 1 45 42 59 59

* 2. Hazards identification.

2.1 Classification of the substance or mixture

Flam. Liq. 2, H225
 Eye Irrit. 2, H319
 STOT SE 3, H336

2.2 Label elements

Hazard pictograms :



SGH07



SGH02

	SAFETY DATA SHEET according to 1907/2006 CE	Page 2 sur 11
	DISSOLVANT COLLE	
Review date: 21/02/2022	Printing date : 21/02/2022	

Signal word:	Danger
Hazard statements:	H225 - Highly flammable liquid and vapour. H319 - Causes serious eye irritation. H336 - May cause drowsiness or dizziness.
Precautionary statements:	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P240 - Ground/bond container and receiving equipment P241 - Use explosion-proof electrical/ventilating/light/.../equipment P242 - Use only non-sparking tools P243 - Take precautionary measures against static discharge P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash ... thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/eye protection/face protection. P303 + P361 + P353 - IF ON SKIN (or hair): Take-off immediately all contaminated clothing. Rinse skin with water/shower. P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position P312 - Call a POISON CENTER or doctor/physician if you feel unwell P305 + P351 + P338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing P337 + P313 - Get medical advice/attention P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. P403 + P235 - Store in a well ventilated place. Keep cool P403 + P233 - Store in a well ventilated place. Keep container tightly closed P405 - Store locked up P501 - Dispose of contents/container to ...
Additional labelling:	EUH066 Repeated exposure may cause skin dryness or cracking.
Hazardous components which must be listed on the label:	acetone.
2.3 Other hazards	
No additional information available.	

3. Composition/information on ingredients

3.1 Substances

Not applicable. See section 3.2.

3.2 Mixtures

*

	SAFETY DATA SHEET according to 1907/2006 CE	Page 3 sur 11
	DISSOLVANT COLLE	
Review date : 21/02/2022		Printing date : 21/02/2022

Classification according to Regulation (EC) No 1272/2008. (cf. 16. Other information)

International Chemical Name	CAS	ENEICS	%	Hazard Class and Category Code(s)	Hazard Statement Code(s)
Acetone	67-64-1	200-662-2]75%-100%]	Flam. Liq. 2 * Eye Irrit.2 * STOT SE3	H225 H319 H336

4. First aid measures

4.1 Description of first aid measures

General advice:	Remove from exposure, lie down. Take-off all contaminated clothing immediately. If symptoms occur, call a physician.
First aid measures after inhalation:	Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. If unconscious place in recovery position. Consult a physician after significant exposure.
First aid measures after skin contact:	Wash off immediately with soap and plenty of water. If skin irritation persists, call a physician.
First aid measures after eye contact:	Rinse immediately with plenty of water, also under the eyelids, for at least 5 minutes. If eye irritation persists, consult a specialist.
First aid measures after ingestion:	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. If a person vomits when lying on his back, place him in the recovery position. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms:	acidosis, Controle the alkaline reserve, Shortness of breath, Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. See Section 11 for more detailed information on health effects and symptoms.
Effects:	Aspiration hazard if swallowed - can enter lungs and cause damage. Aspiration may cause pulmonary oedema and pneumonitis.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment:	Treat symptomatically. Later control for pneumonia and lung oedema. In case of shortness of breath, give oxygen. Artificial respiration and/or oxygen may be necessary.
------------	---

	SAFETY DATA SHEET according to 1907/2006 CE	Page 4 sur 11
	DISSOLVANT COLLE	
Review date: 21/02/2022	Printing date : 21/02/2022	

5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media:	High volume water jet.

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting:	Highly flammable liquid and vapour. The vapour may be invisible, heavier than air and spread along ground. Vapours may form explosive mixtures with air. Flash-back possible over considerable distance. The product is insoluble and floats on water.
Hazardous combustion products:	Carbon monoxide, carbon dioxide.

5.3 Advice for firefighters

Special protective equipment for firefighters:	In the event of fire, wear self-contained breathing apparatus. Wear appropriate body protection (full protective suit).
Further advice:	Cool closed containers exposed to fire with water spray. Heating will cause a pressure rise – with risk of bursting. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Keep away from heat and sources of ignition. Keep away unprotected persons. Use personal protective equipment. Provide adequate ventilation. Avoid contact with skin and eyes. Do not breathe vapours or spray mist.

6.2 Environmental precautions

Do not flush into surface water or sanitary sewer system. Avoid subsoil penetration. If the product contaminates rivers and lakes or drains inform respective authorities. If material reaches soil informs authorities responsible for such cases.

	SAFETY DATA SHEET according to 1907/2006 CE	Page 5 sur 11
	DISSOLVANT COLLE	
Review date: 21/02/2022	Printing date : 21/02/2022	

6.3 Methods and material for containment and cleaning up

Contain spillage, and then collect with non-combustible containment absorbent material, (e.g sand, earth, diatomaceous earth, up vermiculite) and place in container for disposal according to local/national regulations (see section 13). Treat recovered material as described in the section "disposal considerations".

6.4 Reference to other sections

For further information, refer to section 1, 8 and 13.

7. Handling and storage

7.1 Precautions for safe handling

Handling:	Keep container tightly closed. Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Do not breathe vapours or spray mist. Emergency eye wash fountains and emergency showers should be available in the immediate vicinity.
Hygiene measures:	Keep away from food, drink and animal feedingstuffs. Smoking, eating and drinking should be prohibited in the application area. Wash hands before breaks and at the end of workday. Take off all contaminated clothing immediately.

7.2 Conditions for safe storage, including any incompatibilities.

Requirement for storage areas and containers:	Store in original container. Keep in an area equipped with solvent resistant flooring. Suitable materials for containers: Mild steel; Iron; Unsuitable materials for containers: plastic materials
Advice on protection against fire and explosion:	Keep away from sources of ignition - No smoking. The vapour may be invisible, heavier than air and spread along ground. Vapours may form explosive mixtures with air. Take measures to prevent the build up of electrostatic charge. Use only in an area containing explosion proof equipment.
Further information on storage conditions:	Keep tightly closed in a dry and cool place. Keep away from direct sunlight. Keep in a well-ventilated place.
Advice on common storage:	Incompatible with oxidizing agents. Do not store together with oxidizing and self-igniting products. Keep away from food, drink and animal feedingstuffs.

	SAFETY DATA SHEET according to 1907/2006 CE	Page 6 sur 11
	DISSOLVANT COLLE	
Review date: 21/02/2022	Printing date : 21/02/2022	

7.3 Specific end use(s)

Specific use(s): Identified use: See table in front of appendix for a complete overview of identified uses.

8. Exposure controls/personal protection

8.1 Control parameters

Component: Acetone, CAS No 67-64-1

Derived No Effect Level (DNEL)/Derived Minimal Effect Level (DMEL)

DNEL	
Workers, Long-term - systemic effects, Skin contact	: 186 mg/kg bw/day
DNEL	
Workers, Long-term - systemic effects, Inhalation	: 1210 mg/m ³
DNEL	
Workers, Acute - local effects, Inhalation	: 2420 mg/m ³
DNEL	
Consumers, Long-term - systemic effects, Skin contact	: 62 mg/kg bw/day
DNEL	
Consumers, Long-term - systemic effects, Inhalation	: 200 mg/m ³
DNEL	
Consumers, Long-term - systemic effects, Ingestion	: 62 mg/kg bw/day

Predicted No Effect Concentration (PNEC)

Fresh water	: 10,6 mg/l
Marine water	: 1,06 mg/l
Intermittent releases	: 21 mg/l
Sewage treatment plant (STP)	: 100 mg/l
Fresh water sediment	: 30,4 mg/kg, 30,4 mg/kg d.w.
Marine sediment	: 3,04 mg/kg, 3,04 mg/kg d.w.
Soil	: 29,5 mg/kg

	SAFETY DATA SHEET according to 1907/2006 CE	Page 7 sur 11
	DISSOLVANT COLLE	
Review date: 21/02/2022	Printing date : 21/02/2022	

Other occupational exposure limit values

EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, Time Weighted Average (TWA):

500 ppm,
1.210mg/m³
Indicative

France. Threshold Limit Values (VLEP) for Occupational Exposure, French Time Weighted Average (VME):

500 ppm,
1.210 mg/m³
Regulatory binding
(VRC)

France. Threshold Limit Values (VLEP) for Occupational Exposure, French Short Term Limit (VLCT):

1.000 ppm,
2.420mg/m³
Regulatory binding
(VRC)

Biological exposure Indices

France. Biological indicators of exposure (IBE) (National Institute for Research and Security (INRS, ND 2065), acetone, Urine

100 mg/l, Sampling time: End of shift.

Background level in non-exposed persons. The Bf notation does not apply if the average background concentration among non-exposed persons is less than one tenth of the IBE.,
Nonspecific

8.2 Exposure controls

Appropriate engineering controls: refer to protective measures listed in sections 7 and 8.

Personal protective equipment:

- Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection complying with EN141. Recommended filter type AX.
- Hand protection: Protective gloves complying with EN 374. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Protective gloves should be replaced at first signs of wear.

	SAFETY DATA SHEET according to 1907/2006 CE	Page 8 sur 11
	DISSOLVANT COLLE	
Review date: 21/02/2022	Printing date : 21/02/2022	

<ul style="list-style-type: none"> - Eye protection: - Skin and body protection: <p>Environmental exposure controls:</p>	<p>Material: Butyl Rubber Break through time: >= 4h Glove thickness: 0.5mm Goggles giving complete protection to the eyes. Solvent resistant protective clothing.</p> <p>Do not flush into surface water or sanitary sewer system. Avoid subsoil penetration. If the product contaminates rivers and lakes or drains inform respective authorities. If material reaches soil informs authorities responsible for such cases.</p>
--	--

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties.

Appearance:	Liquid.
Odour:	Solvent.
Colour:	Light yellow.
pH-value:	Not applicable.
Flash point:	<5°C
Relative density:	No data available.
Viscosity:	No data available.
Solubility:	Soluble in water.

9.2 Other information

No additional information available.

10. Stability and reactivity

10.1 Reactivity

Stable.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Vapours may form explosive mixture with air. Possible formation of peroxide.

10.4 Conditions to avoid

Heat, flames and sparks.

	SAFETY DATA SHEET according to 1907/2006 CE	Page 9 sur 11
	DISSOLVANT COLLE	
Review date: 21/02/2022	Printing date : 21/02/2022	

10.5 Incompatible materials

Strong reducing agents, Oxidizing agents, Halogenated compounds, Alkali metals, Ethanolamine, Hydrogen peroxide, Ammonium nitrate, Organic peroxides, potassium manganate, Nitric acid, Alkali hydroxide

10.6 Hazardous decomposition products

Under fire conditions : carbon oxides products

*

11. Toxicological information

11.1 Information on toxicological effects

No data available.

12. Ecological information

12.1 Toxicity

No data available.

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT et vPvB assessment

No data available.

12.6 Other adverse effects

No data available.

13. Disposal consideration

13.1 Waste treatment methods

Product:

Dispose together with normal waste is not allowed. Special disposal required according to local regulations. Do not let product enter drains. Contact waste disposal services.

	SAFETY DATA SHEET according to 1907/2006 CE	Page 10 sur 11
	DISSOLVANT COLLE	
Review date: 21/02/2022	Printing date : 21/02/2022	

Recommandation about packaging:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning. If recycling is not practicable, dispose of in compliance with local regulations. Do not burn, or use a cutting torch on, the empty drum. Risk of explosion.

* 14. Transport information

In accordance with ADR/RID/IMDG/IATA/ADN:

	ADR/RID	ADN	IMDG	I A T A
14.1 UN number	UN1993	UN1993	UN1993	UN1993
14.2 UN proper shipping name	FLAMMABLE LIQUID, N.O.S	FLAMMABLE LIQUID, N.O.S	FLAMMABLE LIQUID, N.O.S	FLAMMABLE LIQUID, N.O.S
14.3 Transport hazard class(es)/ Marks	3 	3 	3 	3 
14.4 Packing group	II	II	II	II
14.5 Environmental hazards	N.A	N.A	N.A	N.A
14.6 Special precautions for user/Additional information	<u>Hazard identification number</u> 33	<u>Hazard identification number</u> 33	<u>Emergency schedules (EmS)</u> F-E, S-D	<u>Passenger aircraft</u> No data available <u>Cargo aircraft</u> No data available

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No additional information available.

15.2 Chemical safety assessment

No chemical safety assessment has been carried out.

	SAFETY DATA SHEET according to 1907/2006 CE	Page 11 sur 11
	DISSOLVANT COLLE	
Review date: 21/02/2022	Printing date : 21/02/2022	

16. Other information

Regulatory requirements relative to the distribution of this MSDS: In accordance with the regulatory requirements, all information in the MSDS must be transmitted by the MSDS recipient to the health authorities, to any party receiving the products and to any other person likely to be exposed to the products.

Asterisks (*) on life show modifications with regard to last chemical safety data sheet.

Full text of H- and EUH-statements:

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
