

according to 1907/2006 CE

Page 1 sur 9

Version: 4

COLLE POSTICHES

Review date: 16/02/2022 Printing date: 16/02/2022

1. Identification of the substance/mixture and of the company/undertaking.

1.1 Product identifier

Product form: Mixture

Trade name: COLLE POSTICHES

HS code: 35069900

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Intended for professional public.
Use of the substance/mixture: Cosmetics: Product intended to fix hairpiece.

1.3 Details of the supplier of the safety data sheet

Company: Maqpro

2 ter rue Alasseur

75015 Paris

Phone: 01 42 25 10 11

Mail: maqpro.usine@orange.fr

1.4 Emergency telephone number

France : ORFILA : +33 1 45 42 59 59

2. Hazards identification.

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008. (cf. 16. Other information)

Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008.

Hazard pictograms:



SCHU3



SGH07



according to 1907/2006 CE

Page 2 sur 9

Version: 4

COLLE POSTICHES

Review date: 16/02/2022 Printing date: 16/02/2022

Signal word: Danger

Hazard-determining components of labelling:

Isopropyl Alcohol, Alcohol Denat.

Hazard statements:

H225: Highly flammable liquid and vapour

H319: Causes serious eye irritation

H336: May cause drowsiness or dizziness

- Precautionary statements :
- * P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 - P233 Keep container tightly closed
 - P240 Ground/bond container and receiving equipment
 - P241 Use explosion-proof electrical/ventilating/light/.../equipment
 - P242 Use only non-sparking tools
 - P243 Take precautionary measures against static discharge
 - P261 Avoid breathing dust/fume/gas/mist/vapours/spray
 - P271 Use only outdoors or in a well-ventilated area
 - P280 Wear protective gloves/protective clothing/eye protection/face protection

P370+P378 - In case of fire: Use ... for extinction

P264 - Wash hands thoroughly after handling

P337+P313 - Get medical advice/attention

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing

 ${\tt P304+P340+P312-IF\ INHALED:\ Remove\ victim\ to\ fresh\ air\ and\ keep\ at\ rest\ in\ a\ position\ comfortable}$

for breathing. Call a POISON CENTER/a doctor/.../ if you feel unwell

P403+P235 - Store in a well ventilated place. Keep cool

P405 - Store locked up

P501 - Dispose of contents and container in accordance with all local, regional, national and

international regulations.

2.3 Other hazards

No additional information available.

3. Composition/information on ingredients

3.1 Substances

Not applicable. See section 3.2.



according to 1907/2006 CE

Page 3 sur 9

Version: 4

COLLE POSTICHES

Review date: 16/02/2022 Printing date: 16/02/2022

3.2 Mixtures

Classification according to Regulation (EC) No 1272/2008. (cf. 16. Other information)

International Chemical Name	CAS	ENEICS	%	Hazard Class and Category Code(s)	Hazard Statement Code(s)
Isopropyl Alcohol	67-63-0	200-661-7]25%-50%]	Flam. Liq. 2 * Eye irrit.2 * STOT SE 3	H225 * H319 * H336
Alcohol Denat	64-17-5	200-578-6]25%-50%]	Flam. Liq. 2 * Eye irrit.2	H225 * H319

4. First aid measures

4.1 Description of first aid measures

First aid measures after inhalation: Remove person to fresh air. Consult doctor in case of

symptoms. If unconscious, place in recovery position and

seek medical advice.

First aid measures after skin contact: Wash with water and soap and rinse thoroughly. If skin

irritation continues, consult a doctor.

First aid measures after eye contact: Rinse cautiously with water for several minutes Remove

contact lenses, if present and easy to do. Continue rinsing.

Get immediately medical advice/attention.

First aid measures after ingestion: Drink a lot of water. Do not induce vomiting. If symptoms

persist: get medical advice/attention.

4.2 Most important symptoms and effects, both acute and delayed

Vapours may cause headache, dizziness, emesis.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information.

5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: Water spray. Dry powder. Alcohol resistant foam. Carbon dioxyde.

Powerful jet of water.



according to 1907/2006 CE

Page 4 sur 9

Version: 4

COLLE POSTICHES

Review date: 16/02/2022 Printing date: 16/02/2022

5.2 Special hazards arising from the substance or mixture

Vapours could be invisible and could be heavier than air and may spread along floors. Vapours may form explosive mixtures with air. The flash back distance could be considerable.

5.3 Advice for firefighters

Do not attempt to take action without suitable protective equipment. Seft-contained breathing apparatus. Complete protective clothing including breath protection.

Other information: If possible, cool the tank/containers with cool water. Heat causes increase in pressure and risk of bursting.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Keep away from sources of ignition. Do not smoke. Adequate ventilation is necessary. Do not breathe vapour.

6.2 Environmental precautions

Do not allow product to reach sewage system or any water course.

6.3 Methods and material for containment and cleaning up

Absorb spilled liquid with sorbent material like clay or diatomaceous earth.

6.4 Reference to other sections

For further information, refer to section 1, 8, 13.

7. Handling and storage

7.1 Precautions for safe handling

Handling: Do not smoke, eat or drink.

Information about fire and explosion protection: Keep ignition sources away. Do not smoke.

Sufficient ventilation required to control the formation of steam. Use an explosion-proof

electrical equipment.

7.2 Conditions for safe storage, including any incompatibilities.

Store in a cool and well-ventilated area. Protect from sunlight. Keep away from sources of ignition. Do not use aluminum pack, polystyrene pack and rubber pack. Keep tightly closed. Do not store next to auto-flammables and oxidizing agent.

7.3 Specific end use(s)

No additional information available.



according to 1907/2006 CE

Page 5 sur 9

Version: 4

COLLE POSTICHES

Review date: 16/02/2022 Printing date: 16/02/2022

8. Exposure controls/personal protection

8.1 Control parameters

Ethanol (64-17-5)

VME - FRANCE: - momentary value: 9500 mg/m³, 5000ppm

- long –term value: 1900 mg/m³, 1000ppm

DNEL: - Professionnal exposure

- short time local effect - DNEL/inhalation: 1900 mg/m³

- long time systemic effect - DNEL/cutaneous: 343 mg/kg/day

- long time systemic effect - DNEL/inhalation: 950 mg/m3

- General public exposure

- short time local effect - DNEL/inhalation: 950 mg/m³

- long time systemic effect - DNEL/cutaneous: 206 mg/kg/day

long time systemic effect – DNEL/inhalation: 114 mg/m³

- long time systemic effect - DNEL/oral: 87 mg/kg/day

PNEC: - freshwater: 0.96 mg/L

- sea water: 0.79 mg/L

- freshwater sediment: 3.6 mg/kg sediment dw

- floor: 0.63 mg/kg floor dw

- STP: 580 mg/L

Isopropanol (67-63-0)

DNEL: - Professionnal exposure

long time systemic effect – DNEL/cutaneous: 888 mg/kg/day

- long time systemic effect - DNEL/inhalation: 500 mg/m³

- General public exposure

long time systemic effect – DNEL/cutaneous: 319 mg/kg/day

long time systemic effect – DNEL/inhalation: 89 mg/m³

- long time systemic effect - DNEL/oral: 26 mg/kg/day

PNEC: - freshwater: 140.9 mg/L

- sea water: 140.9 mg/L

- sediment: 552 mg/kg sediment dw

floor: 28 mg/kgSTP: 2251 mg/L

- Intermittent release: 140.9 mg/L

- Secondary poisoning: 160 mg/kg food

le maquillage professionnel By may Rro Parts

SAFETY DATA SHEET

according to 1907/2006 CE

Page 6 sur 9

Version: 4

COLLE POSTICHES

Review date: 16/02/2022 Printing date: 16/02/2022

8.2 Exposure controls

Adequate ventilation is necessary.

- Personnal Protection Equipment: Safety glasses. Gloves. Gas mask with filter type A-P2.
- Hand protection: Wear chemical resistant gloves. (nitrile rubber, fluorinated rubber, butyl rubber)
- Eye protection: Wear safety glasses.
- Skin protection: Wear clothes adequate.
- Breath protection: In case of insufficient ventilation, wear suitable respiratory equipment.
- Other information : When using, do not eat, drink or smoke

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties.

Viscous liquid. Appearance: Odour: Solvent. Colour: Light yellow. pH-value: No data available. Melting point: No data available. Relative density: No data available. Relative vapour density at 20°C: No data available. No data available. Boiling point:

Flash point: 13°C

Self-ignition temperature: No data available. Viscosity: No data available. Solubility: Soluble in water.

9.2 Other information

No additional information available.

10. Stability and reactivity

10.1 Reactivity

Not specific reactivity.

10.2 Chemical stability

Stable under ordinary conditions of use and storage.

10.3 Possibility of hazardous reactions

May form peroxides if in contact with air.

le **maq**uillage **pro**fessionnel By May Pro Parts

SAFETY DATA SHEET

according to 1907/2006 CE

Page 7 sur 9

Version: 4

COLLE POSTICHES

Review date: 16/02/2022 Printing date: 16/02/2022

10.4 Conditions to avoid

Heat. Flash. Flame. Direct ray of sunshine.

10.5 Incompatible materials

Strong oxidizers. Amine. Aldehyde. Alkanolamine. Alkalis. Strong acid.

10.6 Hazardous decomposition products

In case of fire: carbon oxide.

11. Toxicological information

11.1 Information on toxicological effects

Oral Acute toxicity:

Primary irritant effect:

Eye Irritation:

No data available.

No data available.

No data available.

Specific target organ systemic toxicity (single exposure):

Other toxicological information:

No data available.

12. Ecological information

12.1 Toxicity

No data available.

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT et vPvB assessment

No data available.

12.6 Other adverse effects

No data available.

13. Disposal consideration



according to 1907/2006 CE

Page 8 sur 9

Version: 4

COLLE POSTICHES

Review date: 16/02/2022 Printing date: 16/02/2022

13.1 Waste treatment methods

Product: Dispose of contents in accordance with licensed collector's

sorting instructions. Keep the product out of the sewage.

Recommandation about packaging: Dispose of container in accordance with licensed

collector's sorting instructions. Do not burn the barrels.

Risk of explosion.

14. Transport information

In accordance with ADR/RID/IMDG/IATA/ADN:

	ADR/RID	ADN	IMDG	I A T A
14.1 UN number	UN UN1993	UN UN1993	UN UN1993	UN UN1993
14.2 UN proper shipping name	FLAMMABLE LIQUID, N.O.S	FLAMMABLE LIQUID, N.O.S	FLAMMABLE LIQUID, N.O.S	FLAMMABLE LIQUID, N.O.S
14.3 Transport hazard class(es)/ Marks	3	3	3	3
14.4 Packing group	II	II	II	П
14.5 Environmental hazards	N.A	N.A	N.A	N.A
14.6 Special precautions for user/Additional	Hazard identification number 33	Hazard identification number 33	schedules (EmS) F-E, S-D	Passenger aircraft No data available
information				<u>Cargo aircraft</u> No data available

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No additional information available.

15.2 Chemical safety assessment

No chemical safety assessment has been carried out.



according to 1907/2006 CE

Page 9 sur 9

Version: 4

COLLE POSTICHES

Review date: 16/02/2022 Printing date: 16/02/2022

16. Other information

Regulatory requirements relative to the distribution of this MSDS: In accordance with the regulatory requirements, all information in the MSDS must be transmitted by the MSDS recipient to the health authorities, to any party receiving the products and to any other person likely to be exposed to the products.

Asterisks (*) on life show modifications with regard to last chemical safety data sheet.

Full text of H- and EUH-statements:

Eye Irrrit. 2: SERIOUS EYE DAMAGE/EYE IRRITATION, CATEGORY 2

Flam. Liq 2: FLAMMABLE LIQUIDS CATEGORY 2

STOT SE 3: SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE, CATEGORY 3-H336

Full text of H- and EUH-statements:

H336	May cause drowsiness or dizziness.	
H319	Causes serious eye irritation	
H225	Highly flammable liquid and vapour	

*