	SAFETY DATA SHEET according to 1907/2006 CE	Page 1 sur 9
	ISOLANT	
Review date: 21/02/2022	Printing date : 22/02/2022	

1. Identification of the substance/mixture and of the company/undertaking.

1.1 Product identifier

Product form: Mixture
 Trade name: ISOLANT
 HS code: 33049900

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Intended for professional public.
 Use of the substance/mixture: Cosmetics: Product intended to protect the skin.

1.3 Details of the supplier of the safety data sheet

Company : Maqpro
 2 ter rue Alasseur
 75015 Paris
 Phone : 01 42 25 10 11
 Mail : maqpro.usine@orange.fr

1.4 Emergency telephone number

France : ORFILA : +33 1 45 42 59 59

2. Hazards identification.

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008. (cf. 16. Other information)

Flam. Liq. 2 H225
 Eye Irrit. 2 H319
 STOT SE 3 H336

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008.


- Hazard pictograms:



SGH02



SGH07

	SAFETY DATA SHEET according to 1907/2006 CE	Page 2 sur 9
	ISOLANT	
	Review date: 21/02/2022	Printing date : 22/02/2022

- Signal word: Danger
- Hazard-determining components of labelling:

Isopropyl Alcohol, Alcohol Denat.

- Hazard statements:

H225: Highly flammable liquid and vapour

H319: Causes serious eye irritation

H336: May cause drowsiness or dizziness

- Precautionary statements :

- * P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P233 - Keep container tightly closed
- P240 - Ground/bond container and receiving equipment
- P241 - Use explosion-proof electrical/ventilating/light/.../equipment
- P242 - Use only non-sparking tools
- P243 - Take precautionary measures against static discharge
- P261 - Avoid breathing dust/fume/gas/mist/vapours/spray
- P271 - Use only outdoors or in a well-ventilated area
- P280 - Wear protective gloves/protective clothing/eye protection/face protection
- P370+P378 - In case of fire: Use ... for extinction
- P264 - Wash hands thoroughly after handling
- P337+P313 - Get medical advice/attention
- P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P304+P340+P312 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/a doctor/.../ if you feel unwell
- P403+P235 - Store in a well ventilated place. Keep cool
- P405 - Store locked up
- P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.


2.3 Other hazards

No additional information available.

3. Composition/information on ingredients

3.1 Substances

Not applicable. See section 3.2.

	SAFETY DATA SHEET according to 1907/2006 CE		Page 3 sur 9
	ISOLANT		Version : 4
	Review date: 21/02/2022	Printing date : 22/02/2022	

3.2 Mixtures

Classification according to Regulation (EC) No 1272/2008. (cf. 16. Other information)

International Chemical Name	CAS	ENEICS	%	Hazard Class and Category Code(s)	Hazard Statement Code(s)
Isopropyl Alcohol	67-63-0	200-661-7]25%-50%]	Flam. Liq. 2 * Eye irrit.2 * STOT SE 3	H225 * H319 * H336
Alcohol Denat	64-17-5	200-578-6]25%-50%]	Flam. Liq. 2 * Eye irrit.2	H225 * H319

4. First aid measures

4.1 Description of first aid measures

First aid measures after inhalation:	Remove person to fresh air. Consult doctor in case of symptoms. If unconscious, place in recovery position and seek medical advice.
First aid measures after skin contact:	Wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.
First aid measures after eye contact:	Rinse cautiously with water for several minutes Remove contact lenses, if present and easy to do. Continue rinsing. Get immediately medical advice/attention.
First aid measures after ingestion:	Drink a lot of water. Do not induce vomiting. If symptoms persist: get medical advice/attention.

4.2 Most important symptoms and effects, both acute and delayed

Vapours may cause headache, dizziness, emesis.


4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information.

5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: Water spray. Dry powder. Alcohol resistant foam. Carbon dioxide. Powerful jet of water.

	SAFETY DATA SHEET according to 1907/2006 CE	Page 4 sur 9
	ISOLANT	
Review date: 21/02/2022	Printing date : 22/02/2022	

5.2 Special hazards arising from the substance or mixture

Vapours could be invisible and could be heavier than air and may spread along floors. Vapours may form explosive mixtures with air. The flash back distance could be considerable.

5.3 Advice for firefighters

Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing including breath protection.

Other information: If possible, cool the tank/containers with cool water. Heat causes increase in pressure and risk of bursting.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Keep away from sources of ignition. Do not smoke. Adequate ventilation is necessary. Do not breathe vapour.

6.2 Environmental precautions

Do not allow product to reach sewage system or any water course.

6.3 Methods and material for containment and cleaning up

Absorb spilled liquid with sorbent material like clay or diatomaceous earth.

6.4 Reference to other sections

For further information, refer to section 1, 8, 13.

7. Handling and storage

7.1 Precautions for safe handling

Handling:

Do not smoke, eat or drink.

Information about fire and explosion protection:


Keep ignition sources away. Do not smoke. Sufficient ventilation required to control the formation of steam. Use an explosion-proof electrical equipment.

7.2 Conditions for safe storage, including any incompatibilities.

Store in a cool and well-ventilated area. Protect from sunlight. Keep away from sources of ignition. Do not use aluminum pack, polystyrene pack and rubber pack. Keep tightly closed. Do not store next to auto-flammables and oxidizing agent.

7.3 Specific end use(s)

No additional information available.

	SAFETY DATA SHEET according to 1907/2006 CE	Page 5 sur 9
	ISOLANT	
Review date: 21/02/2022	Printing date : 22/02/2022	

8. Exposure controls/personal protection

8.1 Control parameters

▪ Ethanol (64-17-5)

VME - FRANCE: - momentary value: 9500 mg/m³, 5000ppm
 - long-term value: 1900 mg/m³, 1000ppm


DNEL: - Professionnal exposure
 - short time local effect – DNEL/inhalation: 1900 mg/m³
 - long time systemic effect – DNEL/cutaneous: 343 mg/kg/day
 - long time systemic effect – DNEL/inhalation: 950 mg/m³
 - General public exposure
 - short time local effect – DNEL/inhalation: 950 mg/m³
 - long time systemic effect – DNEL/cutaneous: 206 mg/kg/day
 - long time systemic effect – DNEL/inhalation: 114 mg/m³
 - long time systemic effect – DNEL/oral: 87 mg/kg/day

PNEC: - freshwater: 0.96 mg/L
 - sea water: 0.79 mg/L
 - freshwater sediment: 3.6 mg/kg sediment dw
 - floor: 0.63 mg/kg floor dw
 - STP: 580 mg/L

▪ Isopropanol (67-63-0)

DNEL: - Professionnal exposure
 - long time systemic effect – DNEL/cutaneous: 888 mg/kg/day
 - long time systemic effect – DNEL/inhalation: 500 mg/m³
 - General public exposure
 - long time systemic effect – DNEL/cutaneous: 319 mg/kg/day
 - long time systemic effect – DNEL/inhalation: 89 mg/m³
 - long time systemic effect – DNEL/oral: 26 mg/kg/day

PNEC: - freshwater: 140.9 mg/L
 - sea water: 140.9 mg/L
 - sediment: 552 mg/kg sediment dw
 - floor: 28 mg/kg
 - STP: 2251 mg/L
 - Intermittent release: 140.9 mg/L
 - Secondary poisoning: 160 mg/kg food

	SAFETY DATA SHEET according to 1907/2006 CE	Page 6 sur 9
	ISOLANT	
Review date: 21/02/2022	Printing date : 22/02/2022	

8.2 Exposure controls

Adequate ventilation is necessary.

- Personal Protection Equipment: Safety glasses. Gloves. Gas mask with filter type A-P2.
- Hand protection: Wear chemical resistant gloves. (nitrile rubber, fluorinated rubber, butyl rubber)
- Eye protection: Wear safety glasses.
- Skin protection: Wear clothes adequate.
- Breath protection: In case of insufficient ventilation, wear suitable respiratory equipment.
- Other information : When using, do not eat, drink or smoke

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties.

Appearance:	Viscous liquid.
Odour:	Solvent.
Colour:	Light yellow.
pH-value:	No data available.
Melting point:	No data available.
Relative density:	No data available.
Relative vapour density at 20°C:	No data available.
Boiling point:	No data available.
Flash point:	13.5°C
Self-ignition temperature:	No data available.
Viscosity:	No data available.
Solubility:	Soluble in water.

9.2 Other information

No additional information available.

10. Stability and reactivity

10.1 Reactivity


Not specific reactivity.

10.2 Chemical stability

Stable under ordinary conditions of use and storage.

10.3 Possibility of hazardous reactions

May form peroxides if in contact with air.

	SAFETY DATA SHEET according to 1907/2006 CE	Page 7 sur 9
	ISOLANT	
	Review date: 21/02/2022	Printing date : 22/02/2022

10.4 Conditions to avoid

Heat. Flash. Flame. Direct ray of sunshine.

10.5 Incompatible materials

Strong oxidizers. Amine. Aldehyde. Alkanolamine. Alkalis. Strong acid.

10.6 Hazardous decomposition products

In case of fire: carbon oxide.

11. Toxicological information

11.1 Information on toxicological effects

Oral Acute toxicity:	No data available.
Primary irritant effect:	No data available.
Eye Irritation:	No data available.
Specific target organ systemic toxicity (single exposure):	No data available.
Other toxicological information:	No data available.

12. Ecological information

12.1 Toxicity

No data available.

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT et vPvB assessment

No data available.

12.6 Other adverse effects

No data available.

13. Disposal consideration

ISOLANT

Review date: 21/02/2022

Printing date : 22/02/2022

13.1 Waste treatment methods

Product:





Dispose of contents in accordance with licensed collector's sorting instructions. Keep the product out of the sewage.

Recommandation about packaging:

Dispose of container in accordance with licensed collector's sorting instructions. Do not burn the barrels.
Risk of explosion.

14. Transport information

In accordance with ADR/RID/IMDG/IATA/ADN:

	ADR/RID	ADN	IMDG	I A T A
14.1 UN number	UN UN1993	UN UN1993	UN UN1993	UN UN1993
14.2 UN proper shipping name	FLAMMABLE LIQUID, N.O.S	FLAMMABLE LIQUID, N.O.S	FLAMMABLE LIQUID, N.O.S	FLAMMABLE LIQUID, N.O.S
14.3 Transport hazard class(es)/ Marks	3 	3 	3 	3 
14.4 Packing group	II	II	II	II
14.5 Environmental hazards	N.A	N.A	N.A	N.A
14.6 Special precautions for user/Additional information	<u>Hazard identification number</u> 33	<u>Hazard identification number</u> 33	<u>Emergency schedules (EmS)</u> F-E, S-D	<u>Passenger aircraft</u> No data available <u>Cargo aircraft</u> No data available


15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No additional information available.

15.2 Chemical safety assessment

No chemical safety assessment has been carried out.

	SAFETY DATA SHEET according to 1907/2006 CE	Page 9 sur 9
	ISOLANT	
Review date: 21/02/2022	Printing date : 22/02/2022	

16. Other information

Regulatory requirements relative to the distribution of this MSDS: In accordance with the regulatory requirements, all information in the MSDS must be transmitted by the MSDS recipient to the health authorities, to any party receiving the products and to any other person likely to be exposed to the products.

Asterisks (*) on life show modifications with regard to last chemical safety data sheet.

Full text of H- and EUH-statements:

Eye Irrit. 2: SERIOUS EYE DAMAGE/EYE IRRITATION, CATEGORY 2

Flam. Liq 2: FLAMMABLE LIQUIDS CATEGORY 2

STOT SE 3: SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE, CATEGORY 3-H336

Full text of H- and EUH-statements:

H336	May cause drowsiness or dizziness.
H319	Causes serious eye irritation
H225	Highly flammable liquid and vapour

*